


DATA SHEET

Fast. Dependable. Versatile.

BarraCuda 510 SSD



The Seagate® BarraCuda™ 510 SSD—legendary storage designed for taking your data to the next level of performance, reliability, and efficiency.



Best-Fit Applications

- Ultra-thin laptops
- Business PCs and laptops
- Workstations and all-in-one PCs

Key Advantages

Amazing speed with next-level 3D TLC NAND and a PCIe® Gen3 x4, NVMe™ 1.3 unlock sequential read/write speeds of up to 3400/2180MB/s

The trusted dependability of the BarraCuda brand with a 5-year limited warranty, and MTBF of 1.8M hours.

Amazing versatility with capacities of 250GB to 1TB lets you pick the right drive for the job and budget

Slim form factor with single-sided M.2 2280 for ultra-thin/ultra-small laptops, mini PCs, and desktop PCs

Low power consumption with up to 5.3W active power and multiple low power modes make for longer battery life and cooler running speeds



Specifications	1TB	500GB	250GB
Standard Model (TCG Pyrite)	ZP1000CM30001	ZP500CM30001	ZP250CM30001
Interface	PCIe Gen3 x4, NVMe 1.3	PCIe Gen3 x4, NVMe 1.3	PCIe Gen3 x4, NVMe 1.3
NAND Flash Memory	3D TLC	3D TLC	3D TLC
Form Factor	M.2 2280-S2	M.2 2280-S2	M.2 2280-S2
Performance			
Sequential Read (Max, MB/s), 128KB ¹	3400	3400	3100
Sequential Write (Max, MB/s), 128KB ¹	3000	2400	1050
Random Read (Max, IOPS), 4KB QD32 T8 ¹	600,000	410,000	180,000
Random Write (Max, IOPS), 4KB QD32 T8 ¹	600,000	540,000	260,000
Endurance/Reliability			
Total Bytes Written (TB)	640	320	160
Mean Time Between Failures (MTBF, hours)	1,800,000	1,800,000	1,800,000
Warranty, Limited (years)	5	5	5
Power Management			
Active Power, Average (W)	5.3	4.6	3.0
Idle Power PS3, Average (mW)	20	16	16
Low Power L1.2 mode (mW)	2	2	2
Environmental			
Temperature, Operating Internal (°C)	0 to 70	0 to 70	0 to 70
Temperature, Nonoperating (°C)	-40 to 85	-40 to 85	-40 to 85
Shock, Nonoperating: 0.5ms (Gs)	1500	1500	1500
Special Features			
TRIM	Yes	Yes	Yes
S.M.A.R.T.	Yes	Yes	Yes
Halogen Free	Yes	Yes	Yes
RoHS Compliance	Yes	Yes	Yes
Physical			
Length (mm/in, max)	80.15mm/3.156in	80.15mm/3.156in	80.15mm/3.156in
Width (mm/in, max)	22.15mm/0.872in	22.15mm/0.872in	22.15mm/0.872in
Height (mm/in, max)	2.23mm/0.087in	2.23mm/0.087in	2.23mm/0.087in
Weight (g/lb)	8.7g/0.019lb	8.7g/0.019lb	8.7g/0.019lb

¹ Fresh out of box (FOB) performance obtained on newly formatted drive. Performance may vary based on SSD's firmware version, system hardware, and configuration. Performance based on CrystalDiskMark v.5.2.1 x64 on Windows 10 host.



Ordering Information	
Specifications	
Retail Packaging	Box Dimensions
Master Carton Dimensions	Pallet Dimensions
Depth/Length (in/mm)	5.285in/134.25mm
Width (in/mm)	4.291in/109mm
Height (in/mm)	0.944in/24mm
Weight (lb/kg)	0.134lb/0.061kg
Quantities	
Boxes per Master Carton	10
Master Cartons per Pallet	48
Pallet Layers	4
System Requirements	What's Included

- M.2 (M key) slot, PCIe® G3 x4 interface
- Windows® 10, Windows 8.1, Windows 7
- Linux

- Seagate® BarraCuda™ 510 SSD

Region	Model Number	Capacity	Limited Warranty (years)	UPC Code	EAN Code	Multi-Pack UPC
WW	ZP250CM3A001	250GB	5	763649138212	8719706019927	10763649138219
WW	ZP500CM3A001	500GB	5	763649138229	8719706019934	10763649138226
WW	ZP1000CM3A001	1TB	5	763649138236	8719706019941	10763649138233

seagate.com



© 2020 Seagate Technology LLC. All rights reserved. Seagate, Seagate Technology, and the Spiral logo are registered trademarks of Seagate Technology LLC in the United States and/or other countries. BarraCuda and the BarraCuda logo are either trademarks or registered trademarks of Seagate Technology LLC or one of its affiliated companies in the United States and/or other countries. The NVMe word mark and/or NVMeExpress design mark are trademarks of NVMeExpress, Inc. The PCIe word mark and/or PCIeExpress design mark are registered trademarks and/or service marks of PCI-SIG. All other trademarks or registered trademarks are the property of their respective owners. When referring to drive capacity, one gigabyte, or GB, equals one billion bytes and one terabyte, or TB, equals one trillion bytes. Your computer's operating system may use a different standard of measurement and report a lower capacity. In addition, some of the listed capacity is used for formatting and other functions, and thus will not be available for data storage. Actual data rates may vary depending on operating environment and other factors, such as chosen interface and drive capacity. Seagate reserves the right to change, without notice, product offerings or specifications. DS2000.6-2012US December 2020